Council Meeting Date: May 7, 2007 Agenda Item: 6(d)

### CITY COUNCIL AGENDA ITEM

CITY OF SHORELINE, WASHINGTON

AGENDA TITLE:

15<sup>th</sup> Ave NE Traffic Study – Final Report

DEPARTMENT: PRESENTED BY:

Public Works-Traffic Services
Mark Relph. Public Works Director

Jesus Sanchez, Operations Manager Rich Meredith, City Traffic Engineer

#### PROBLEM/ISSUE STATEMENT:

In December, 2003, Public Works completed a project to reconfigure 15<sup>th</sup> Ave NE between NE 150 St and NE 175 St from a 4-lane roadway, two lanes in each direction, to a 3 lane roadway with one lane in each direction, a center turn lane, and bike lanes.

There were concerns raised about increased traffic congestion on 15<sup>th</sup> Ave NE, and increased traffic volumes and speeds on parallel arterial collectors, 5<sup>th</sup> Ave NE, 10<sup>th</sup> Ave NE, and 25<sup>th</sup> Ave NE, and neighborhood streets. Staff has been monitoring these issues through traffic counts, speed studies, accident review, and traffic studies.

#### FINDINGS/CONCLUSIONS

The operation of 15<sup>th</sup> Ave NE as a three-lane roadway meets the planned expectations:

- Lower speeds The 85% speeds fell 1.5 MPH from 39.3 to 37.8
- Lower volumes The average weekday traffic (AWDT) declined 1,339 (7.8%)
- Decreased number of collisions There was a 3.1% decline in reported collisions comparing three years before to three years after implementation.
- Decrease in collision severity There was a 30.9% drop in the number of reported injuries.

Some local streets experienced small gains in traffic volumes and speeds, and some experienced reductions. The increases on local streets are within the range that these streets can accommodate, and are manageable with controls through the Neighborhood Traffic Safety program (NTSP).

### RECOMMENDATION

No council action is required or recommended. Staff will continue to work with local residents to manage traffic impacts on non-arterial streets and implement appropriate neighborhood traffic mitigation improvements.

Approved By:	City Manager	City Attorney
• • • • • • • • • • • • • • • • • • • •	. • •	•

### **ACTION/BACKGROUND**

Historically, 15<sup>th</sup> Ave NE consisted of two lanes in each direction between NE 150 St and NE 175 St. The curb to curb width of 15<sup>th</sup> Ave NE is 44 feet, so there is not enough room for a center turn lane and two lanes in each direction. The character of the land uses along 15<sup>th</sup> Ave NE is primarily residential. The speed limit is 35 MPH. There were complaints about pedestrian safety along the corridor. The City of Shoreline funded a study to examine the corridor and recommend improvements. In the study titled "Final Pedestrian Safety report, January, 2003, one of the recommendations was to reconfigure 15<sup>th</sup> Ave NE from four lanes to one lane in each direction with a center turn lane. This change, sometimes referred to as a "road diet" because of the reduction in the number of lanes, has been found to improve overall safety of a roadway. One specific safety benefit is the reduction of the "multiple threat" situation for pedestrians. A "multiple threat" occurs when one car stops for a pedestrian, but a vehicle in the adjacent lane doesn't, in part because the visibility of the pedestrian can be obscured by the stopped vehicle.

"Road diet" projects have been successfully implemented in other cities, such as Seattle, Bellevue, Portland, and other locations across the country. Below are some links to websites where more information about the performance of similar projects can be found.

http://www.hsisinfo.org/pdf/04-082.pdf http://www.walkable.org/download/rdiets.pdf http://www.ite.org/meetcon/2005AM/Rosales Tues.pdf

The North City business district was also planned as a three-lane roadway between NE 175 St and NE 180 St to enhance the pedestrian environment, improve pedestrian safety while crossing 15<sup>th</sup> Ave NE, and improve turning movements into and out of adjacent businesses.

In December, 2003, 15<sup>th</sup> Ave NE south of NE 175 St was reconfigured to three lanes to facilitate the transition into and out of the North City CBD.

Subsequently, in December, 2004, the City Council directed the channelization through the North City CBD be maintained as 4 lanes between NE 175<sup>th</sup> St and NE 180<sup>th</sup> St after completion of the North City construction project.

The City Council asked for a review of the traffic behavior changes resulting from the three lane section between NE 175<sup>th</sup> St and NE 150<sup>th</sup> St. A report summarizing those findings was presented in March, 2005. This report updates the findings from that report with data collected through February, 2007.

### **DISCUSSION**

In March, 2003, prior to implementing the three-lane design, traffic counts were taken at 56 locations, and speed studies were conducted at 15 locations to establish a baseline to measure against after the restriping project and the North City improvement project. Traffic signal equipment was upgraded to accommodate the new three-lane

configuration, and to improve traffic flow along to corridor. Construction of the restriping project began in December, 2003. The North City redevelopment project began in May, 2005, and was substantially complete in June, 2006.

Follow up traffic data was collected each year to help monitor the effects of the reconfiguration and the construction impacts of the North City project. The last set of data was collected in February, 2007, to produce this final report about the traffic patterns following substantial completion of the North city project and the restriping.

The following are some of the results of the comparison:

### 15<sup>th</sup> Ave NE

Overall, traffic volumes declined 1339 vehicles per day (7.8%) on 15<sup>th</sup> Ave NE between NE 145<sup>th</sup> St and NE 175<sup>th</sup> St. Peak hour volumes also dropped, 55 (4.1%) in the morning and 207 (12.3%) in the evening. The 85 percentile speeds dropped 3.8% from 39.25 MPH to 37.75 MPH. The speed limit is posted at 35 MPH.

According to the Police Department, the number of citations issued on 15<sup>th</sup> Ave NE south of NE 175 St has dropped. They report that the three lane configuration had a significant effect on the declining number of speeding violations they observed.

	2001	2002	2003	2004	2005	2006
Number of reported collisions - NE 150th St to NE 175th St	30	34	32	38	30	25
Number of reported injuries - NE 150th St to NE 175th St	13	35	20	17	16	14

Vehicle collisions between NE 145th St and NE 175th St decreased 3.1% between 1/1/2001 and 12/31/06. The severity drastically decreased, with the reported injuries dropping 30.9%. The decline in the number of collisions and injuries implies that the three lane configuration has been successful in reducing collision severity, in part by reducing overall speeds, providing refuge for turning vehicles, and improving sight distance for vehicles entering 15<sup>th</sup> Ave NE.

### 5th Ave NE

Overall, traffic volumes decreased 94 vehicles per day (1.4%) on 5th Ave NE between NE 145th St and NE 175th St. Peak hour volumes grew, 146 (33.8%) in the morning and decreased 64 (8.6%) in the evening. The 85 percentile speeds grew 1.4% from 35.5 MPH to 36.0 MPH. The speed limit is posted at 30 MPH.

### 10 Ave NE

Overall, traffic volumes grew 38 vehicles per day (2.1%) on 10th Ave NE between NE 155th St and NE 175th St. Peak hour volumes grew 16 (9.4%) in the morning and

decreased 16 (8.2%) in the evening. The 85 percentile speeds declined 8.2% from 34.8 MPH to 31.9 MPH. The speed limit is posted at 30 MPH.

#### 25 Ave NE

Overall, traffic volumes declined 199 vehicles per day (4.7%) south of NE 150th St, and decreased 23 (0.6%) between NE 150th St and NE 177th St. South of NE 150<sup>th</sup> St, the peak hour volumes increased 36 (9.4%) in the morning, and declined 134 (29.6%) in the evening. North of NE 150<sup>th</sup> St, the peak hour volumes increased 43 (8.8%) in the morning, and declined 75 (17.7%) in the evening. The 85 percentile speeds north of NE 150th St declined 2.5% from 33.5 MPH to 32.7 MPH. The speed limit is posted at 30 MPH, with a 20MPH school zone north of NE 153rd St and south of NE 165<sup>th</sup> St.

### **NE 175 St**

Overall, traffic volumes decreased 142 vehicles per day (1.0%) on NE 175th St between 5<sup>th</sup> Ave NE and 15<sup>th</sup> Ave NE. Peak hour volumes grew 9 (1.0%) in the morning and declined128 (9.9%) in the evening. The 85 percentile speeds grew 0.7% from 38.5 MPH to 39.2 MPH. The speed limit is posted at 35 MPH.

### **ISSUES**

Since the completion of the reconfiguration, residents have voiced a number of concerns. These include congestion on 15<sup>th</sup> Ave NE. Preliminary traffic modeling showed that there would be added delay to traffic on 15<sup>th</sup> Ave NE, and suggested that some commuter traffic would find other routes. According to field observations by staff and residents, it appears that congestion has increased on 15<sup>th</sup> Ave NE. Traffic count data shows a reduction in volume. In February, 2007, all the traffic signals on 15<sup>th</sup> Ave NE were optimized to improve traffic flow. Preliminary results show improvements in the peak hours, reducing the travel time from about 6 minutes to around 5.5 minutes between NE 155<sup>th</sup> St and NE Perkins Way.

Another concern was increased traffic on neighboring streets. While some streets have seen some increase in the total daily traffic, most of the streets south of NE 175<sup>th</sup> St experienced a decrease in the weekday traffic volumes. Traffic calming devices in the neighborhood have shown significant impacts. The traffic circle at 10<sup>th</sup> Ave NE and NE 170<sup>th</sup> St has reduced the 85% speeds 5.4 MPH (15.6%)

Residents have commented that speeding appears to be more of a problem. The comparison showed that 15th Ave NE has seen a decrease in the 85 percentile speeds over a 24 hour period, as shown in the attachments.

There have been complaints about drivers using the center turn lane as a passing lane. This problem developed in other cities making a similar change. It can be mitigated by building traffic islands periodically in the center turn lane. Construction of such islands should be a priority should the decision be made to retain the three lane configuration.

Questions have been raised on the effect on emergency vehicle response times. The center turn lane can actually help improve response time in congested areas by

providing space to pass stopped vehicles without having to move into oncoming traffic lanes.

There have been compliments on the new lane by bicycle users, who feel safer using the new bike lanes. Data collected the week of October 2, 2006, showed that the daily bicycle volumes range from 35 to 85 per day.

Some concerns were raised about transit stop locations. Working with King County Metro, stop placement was reviewed, and some were moved, and a couple eliminated, to improve traffic flow. Striping on the roadway was adjusted to help guide drivers around stopped buses.

Intersection visibility has improved on 15<sup>th</sup> Ave NE in that the bike lanes have moved the vehicular traffic 5 ft away from the curb. With a 4-lane design, the vehicles travel next to the curb.

Pedestrian safety has improved. Vehicles have been moved further away from the curb and sidewalk, providing for a more comfortable pedestrian environment. Also, the center lane can be used as a quasi-refuge by pedestrians crossing 15<sup>th</sup> Ave NE, as they wait for a gap in traffic. Lastly, the three-lane design greatly reduces the "multiple-threat" scenario for pedestrians crossing 15<sup>th</sup> Ave NE. The multiple-threat is one of the most problematic situations facing pedestrians crossing a multi-lane roadway.

#### **FUNDING CONSIDERATIONS**

Should the 3-lane configuration remain permanent, it is recommended that median islands be constructed. Two landscaped islands cost a total of about \$25,000 to build. If 15th Ave NE is changed back to 4 lanes, required capital costs would include removal of existing markings, restriping, signing, and signal modifications. King County has estimated this cost to be \$70,500. Other costs to consider would be an increased need for traffic signals to facilitate access across 15th Ave NE. A potential location for a traffic signal is at the intersection of NE 170th St. and 15th Ave. NE. A traffic signal at this location would need to include improvements on NE 170th St for pedestrian safety and traffic signal equipment and can cost as much as \$600,000. For the traffic signal installation at 15th NE and NE 170th Street, partial funding is available. The 2007 State Legislature has sent the state budget package to the Governor's Office for signature, which includes \$425,000.00 earmarked for the City of Shoreline, grant funds under the LEAP Transportation Document 2007- Pedestrian and Bicycle Safety Program. We would propose to supplement the grants funds with carry over CIP funds to complete this project. Additionally, a new traffic signal is already scheduled to be built at 15th Ave NE and NE 150th St this year.

### CONCLUSION

The current operation of 15<sup>th</sup> Ave NE is meeting expectations. Vehicle volumes on 15<sup>th</sup> Ave NE have declined 7.8%, which is what was expected. More important, the data records show improvement to both vehicle and pedestrian safety. Some of the non-arterial roadways in the surrounding area have seen an increase in vehicles and

speeds. However, many roadways actually saw a decrease in volume. Neighborhood traffic calming projects continue to be implemented to manage vehicles on local streets

### RECOMMENDATION

No council action is required or recommended. Staff will continue to work with local residents to manage traffic impacts on non-arterial streets and implement appropriate neighborhood traffic mitigation improvements.

#### **ATTACHMENTS**

Appendix A: - Average Weekday Volume Comparison

Appendix A-1 - Map of AWDT Comparison

Appendix B: - Average Weekday Volume Comparison - AM Peak Hours

Appendix B-1 - Map of AM Peak Comparison

Appendix C: - Average Weekday Volume Comparison - PM Peak Hours

Appendix C-1 - Map of PM Peak Comparison

Appendix D: - 15th Ave NE Volume Graph

Appendix E: - 85% Speed Comparison

Appendix F: - Collision Comparison

Appendix G: - Collision Comparison Graph

### North Gity Traffic Monitoring Study **Average Weekday Volume Summary**

February 2003 to February 2007

### North/South

5 Ave NE	2003	2007	diff	% diff
NE 148 St	7,831	7,855	24	
NE 156 St	7,005	6,367	(638)	
NE 163 St	6,557	6,633	76	
NE 165 St	6,363	6,355	(8)	
NE 170 Ln	5,916	5,993	77	i. Distanti
NE 180 St	3,213	3,410	197	Linarina f
average 145 to 175	6,734	6,641	(94)	(1.4)
average 145 to 180	6,148	6,102	(45)	(0.7)

462 680 603	41 99	
603	99	
070	470	
679	173	
598	50	
462	(68)	(12.8)
640	91	16.5
		(/

2003

398

269

(129)

(32.4)

10 Ave NE	2003	2007	diff	% diff
NE 155 St	1,261	1,220	(41)	
NE 160 St	1,261	1,295	34	inger Gefor verfor
NE 165 St	2,216	2,332	116	
NE 170 St	2,378	2,420	42	372 10 1
NE Serpentine PI	3,994.	3,564	(430)	
NE 182 St	5,230	4,954	(276)	
average 155 to 175	1,779	1,817	38	2.1
average 175 to 185	4,612	4,259	(353)	(7.7)
average 155 to 185	2,723	2,631	(93)	(3.4)

	0,00	0,00.	(,						
NE 182 St	5,230	4,954	(276)		12 Ave NE	2003	2007	diff	% diff
		•			NE 155 St	423	290	(133)	
average 155 to 175	1,779	1,817	38	2.1	NE 175 St	992	774	(218)	ļ
average 175 to 185	4,612	4,259	(353)	(7.7)					
average 155 to 185	2,723	2,631	(93)	(3.4)	average 155 to 165	423	290	(133)	(31.4)
					average north of 175	992	774	(218)	(22.0)
14 Ave NE	2003	2007	diff	% diff					<u> </u>
NE 155 St	327	220	(08)						

11 Ave NE

NE 155 St

average north of 155

14 Ave NE	2003	2007	diff	% diff
NE 155 St	327	229	(98)	
average 155 to 165	327	229	(98)	(30.0)

24 Ave NE	2003	2007	diff	% diff
15 Ave NE	4,446	3,940	(506)	
average 25 to 15	4.446	3.940	(506)	(11.4)

2003	2007	diff	% diff
16,315	16,291	(24)	
18,963	16,649	(2,314)	
15,433	14,637	(796)	
18,158	15,938	(2,220)	San and 1
17,169	15,038		mara di
15,123	13,778	(1,345)	
17,217	15,879	(1,339)	(7:8)
16,146	14,408	(1,738)	(10.8)
16,860	15,389	(1,472)	(8.7)
	16,315 18,963 15,433 18,158 17,169 15,123 17,217 16,146	16,315 16,291 18,963 16,649 15,433 14,637 18,158 15,938 17,169 15,038 15,123 13,778 17,217 15,879 16,146 14,408	16,315 16,291 (24) 18,963 16,649 (2,314) 15,433 14,637 (796) 18,158 15,938 (2,220) 17,169 15,038 (2,131) 15,123 13,778 (1,345)  17,217 15,879 (1,339) 16,146 14,408 (1,738)

25 Ave NE	2003	2007	diff	% diff
NE 147 St	4,242	4,043	(199)	
NE 155 St	4,837	4,567	(270)	1.
NE 168 St	4,626	4,440	(186)	
NE 171 St	2,355	2,220	(135)	
NE 177 St	3,840	4,340	500	
The service of the se	April V	والمنتقوا فرازالها		
average 145 to 150	4,242	4,043	(199)	(4.7)
average 150 to 178	3,915	3,892	(23)	(0.6)


### North City Traffic Monitoring Study Average Weekday Volume Summary

February 2003 to February 2007

revised 03/18/2007

### East/West

NE 150 St	2003	2007	diff	% diff	NE 155 St	2003	2007	diff	% diff
15 Ave NE	3,740	2,940	(800)	70 UIII	5 Ave NE	11,368	9,902		% QIII
12 YAG IAF	3,740	2,540	(800)		8 Ave NE	-	•	(1,466)	
0.107070 45 to 25	2 740	2 040	(000)	(04.4)		9,187	8,717	(470)	
average 15 to 25	3,740	2,940	(800)	(21.4)	14 Ave NE	8,642	7,391	(1,251)	
NE 165 St	2003	2007	diff	% diff	average west of 5th	11,368	9,902	(1,466)	(12.9)
15 Ave NE	2,606	1,726	(880)		average 5th to 15th	8,915	8,054	(861)	(9.7)
ŀ		•	•	l		······		\	
average 5 to 15	2,606	1,726	(880)	(33.8)	NE 162 St	2003	2007	diff	% diff
					15 Ave NE	208	188	(20)	
NE 170 St	2003	2007	diff	% diff	average 10th to 15th	208	188	(20)	(9.6)
10 Ave NE	1,689	1,242	(447)	70	<u></u>		100	(20)	(0.0)
15 Ave NE	735	688	(47)		NE 168 St	2003	2007	diff	% diff
			(,	*	18 Ave NE	2,897	2,314	(583)	70 Gill
average 5 to 15	1,689	1,242	(447)	(26.5)		2,001	2,014	(000)	
average 15 to 25	735	688	(47)	(6.4)	average 25 to 15	2,897	2,314	(583)	(20.1)
arorago to to 20	100		(16)	(0.7)	avorage 20 to 10	2,001	2,517	(303)	(20.1)
NE 171 St	2003	2007	diff	% diff	NE 169 St	2003	2007	diff	% diff
15 Ave NE	457	386	(71)		22 Ave NE	147	125	(22)	
average 25 to 15	457	386	(71)	(15.5)	average 25 to 15	147	125	(22)	(15.0)
NE 172 St	2003	2007	diff	% diff	NE 175 St	2003	2007	diff	% diff
15 Ave NE	620	586	(34)	70 GIII	5 Ave NE	14,792	14,726	(66)	-/0 UIII
107.00142	020	500	(04)		12 Ave NE	14,606	14,720	(217)	
average 25 to 15	620	586	(34)	(5.5)	12 AVE INL	14,000	14,505	(217)	
average 20 to 10	020	300	(04)	(3.3)	15 Ave NE	4,023	4,196	173	ļ
NE 177 St	2003	2007	diff	% diff	25 Ave NE	2,058	2,358	300	1
15 Ave NE	685	617	(68)	/6 UIII	20 AVE INL	2,000	2,300	300	
25 Ave NE	840	685	(155)		average 5 to 15	14,699	14,558	(4.49)	(1.0)
25 AVE IVE	040	000	(100)		average 15 to 25	•	-	(142)	(1.0)
average 25 to 15	763	651	(112)	(14.6)	average 15 to 25	3,041	3,277	237	7.8
avolugo 20 to 10	100		(112)	(14.0)	NE 180 St	2003	2007	diff	% diff
NE Serpentine PI	2003	2007	diff	% diff	11 Ave NE	2,951	2,836	(115)	70 GIII
NE 175 St	864	805	(59)	70 (1111)	TIT / WO INE	2,001	2,000	(110)	
112 170 01	004	000	(00)		average 10th to 15th	2,951	2,836	(115)	(3.9)
average 175 to 177	864	805	(59)	(6.8)	average rour to rour	<u> </u>	2,000	(110)	(3.8)
	- 004		(53)	(0.0)					
NE Perkins Way	2003	2007	diff	% diff	NE 185 St	2003	2007	diff	% diff
15 Ave NE	2,984	3,169	185		9 Ave NE	7,533	7,148	(385)	
	,	,	,	·. [	1.	.,	.,	()	
average 10th to 15th	2,984	3,169	185	6.2	average west of 10	7,533	7,148	(385)	(5.1)



### North City Traffic Monitoring Study AWDT AM Peak Volume Summary - 7 - 8am

February 2003 to February 2007

revised 03/18/2007

### North/South

5 Ave NE	2	003	2007	diff	% diff
NE 148 St		559	696	137	
NE 156 St		426	608	182	
NE 163 St		438	561	123	
NE 165 St		395	510	115	
NE 170 Ln		342	515	173	
NE 180 St		254	345	91	
average 145 to 175	* *.	432	578	146	33.8
average 145 to 180		402	539	137	34.0

8 Ave NE	2003	2007	diff	% diff
NE 145 St	28	18	(10)	
NE 155 St	48	72	24	
NE 160 St	40	65	25	
NE 170 St	37	93	56	
NE 175 St	40	71	31	
average 145 to 155	28	18	(10)	(35.7)
average 155 to 175	41	75	34	82.4

10 Ave NE	2003	2007	diff	% diff
NE 155 St	127	139	12	
NE 160 St	114	137	23	
NE 165 St	228	235	7	
NE 170 St	220	243	23	
NE Serpentine PI	337	312	(25)	
NE 182 St	398	371	(27)	
average 155 to 175	172	189	16	9.4
average 175 to 185	368	342	(26)	(7.1)
average 155 to 185	237	240	2	0.9

11 Ave NE	2003	diff	% diff	
NE 155 St	30	24	(6)	
average north of 155	30	24	(6)	(20.0)

14 Ave NE	2003	2007	diff	% diff
NE 155 St	327	229	(98)	
average 155 to 165	327	229	(98)	(30.0)

12 Ave NE	2003	2007	diff	% diff
NE 155 St	36	19	(17)	
NE 175 St	96	84	(12)	
average 155 to 165	36	19	(17)	(47.2)
average north of 175	96	84	(12)	(12.5)

15 Ave NE	2003	2007	diff	% diff
NE 146 St	1,126	1,231	105	
NE 152 St	1,426	1,321	(105)	
NE 158 St	1,228	1,216	(12)	
NE 170 St	1,612	1,404	(208)	
NE 177 St	1,632	1,318	(314)	
24 Ave NE	1,432	1,372	(60)	
average 145 to 175	1,348	1,293	(55)	(4.1)
average 175 to 24 Av NE	1,532	1,345	(187)	(12.2)
average 145 to 24 Av NE	1,409	1,310	(99)	(7.0)

24 Ave NE	2003	2007	diff	% diff
15 Ave NE	367	330	(37)	·
average 25 to 15	367	330	(37)	(10.1)

25 Ave NE	2003	2007	diff	% diff
NE 147 St	381	417	36	
NE 155 St	479	556	77	
NE 168 St	640	668	28	i
NE 171 St	346	315	(31)	
NE 177 St	466	562	96	
average 145 to 150	381	417	36	9.4
average 150 to 178	483	525	43	8.8


### **North City Traffic Monitoring Study** AWDT AM Peak Volume Summary - 7 - 8am

February 2003 to February 2007

revised 03/18/2007

### East/West

NE 150 St	2003	2007	diff	% diff	NE 155 St	2003	2007	diff	% diff
15 Ave NE	360	318	(42)		5 Ave NE	723	654	(69)	
			• •		8 Ave NE	639	698	59	
average 15 to 25	360	318	(42)	(11.7)	14 Ave NE	618	580	(38)	
NE 165 St	2003	2007	diff	% diff	average west of 5th	723	654	(69)	(9.5)
15 Ave NE	186	114	(72)		average 5th to 15th	629	639	11	1.7
average 5 to 15	186	114	(72)	(38.7)	NE 162 St	2003	2007	diff	% diff
					15 Ave NE	14	. 8	(6)	
NE 170 St	2003	2007	diff	% diff	average 10th to 15th	14	8	(6)	(42.9)
10 Ave NE	116	97	(19)					· · · · · ·	<u> </u>
15 Ave NE	50	37	(13)	ŀ	NE 168 St	2003	2007	diff	% diff
avarage 5 to 15	198 18 1 1 1 1 <b>1 1 1 1 1 1 1 1 1 1 1 1 1 </b>	07	(40)	(40.4)	18 Ave NE	373	267	(106)	
average 5 to 15 average 15 to 25	116 50	97 37	(19) (13)	(16.4) (26.0)	average 25 to 15	373	267	(106)	(28.4)
					<u> </u>			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	(==: :/
NE 171 St	2003	2007	diff	% diff	NE 169 St	2003	2007	diff	% diff
15 Ave NE	38	37	(1)		22 Ave NE	13	14	1	70
average 25 to 15	38	37	(1)	(2.6)	average 25 to 15	13	14	1	7.7
NE 172 St	2003	2007	diff	% diff	NE 175 St	2003	2007	diff	% diff
15 Ave NE	50	50	0		5 Ave NE	891	878	(13)	
					12 Ave NE	896	926	30	
average 25 to 15	50	50	0	0.0					Ì
<u> </u>					15 Ave NE	261	301	40	
NE 177 St	2003	2007		% diff	25 Ave NE	170	226	56	ľ
15 Ave NE	48	35	(13)						
25 Ave NE	56	46	(10)	1	average 5 to 15	894	902	9	1.0
	**************************************				average 15 to 25	216	264	48	22.3
average 25 to 15	52	41	(12)	(22.1)					
	· · · · · · · · · · · · · · · · · · ·				NE 180 St	2003	2007	diff	% diff
NE Serpentine PI	2003	2007	diff	% diff	11 Ave NE	201	190	(11)	
NE 175 St	54	59	5		avarage 40th to 45th	201	100	(44)	(F. F.)
average 175 to 177	54	59	5	9.3	average 10th to 15th	201	190	(11)	(5.5)
NE Perkins Way	2003	2007	diff	% diff	NE 185 St	2003	2007	diff	% diff
15 Ave NE	209	237	28	70 UIII	9 Ave NE	518		3	76 UIII
average 10th to 15th	209	237	28	13.4	average west of 10	518	521	3	0.6



### North City Traffic Monitoring Study AWDT PM Peak Volume Summary - 5 - 6pm

February 2003 to February 2007

revised 03/18/2007

### North/South

5 Ave NE	2003	2007	diff	% diff
NE 148 St	777	680	(97)	
NE 156 St	758	653	(105)	
NE 163 St	723	691	(32)	
NE 165 St	755	685	(70)	
NE 170 Ln	666	652	(14)	
NE 180 St	331	347	16	
average 145 to 175	736	672	(64)	(8.6)
average 145 to 180	668	618	(50)	(7.5)

8 Ave NE	2003	2007	diff	% diff
NE 145 St	49	38	(11)	
NE 155 St	61	72	11	
NE 160 St	46	58	12	
NE 170 St	44	55	11	
NE 175 St	55	49	(6)	
average 145 to 155	49	38	(11)	(22.4)
average 155 to 175	52	-59	7	13.6

10 Ave NE	2003	2007	diff	% diff
NE 155 St	144	134	(10)	
NE 160 St	136	141	5	
NE 165 St	240	218	(22)	
NE 170 St	268	230	(38)	
NE Serpentine PI	417	317	(100)	
NE 182 St	528	450	(78)	٠.
average 155 to 175	197	181	(16)	(8.2)
average 175 to 185	473	384	(89)	(18.8)
average 155 to 185	289	248	(41)	(14.0)

11 Ave NE	2003	2007	diff	% diff
NE 155 St	44	26	(18)	
average north of 155	44	26	(18)	(40.9)

14 Ave NE	2003	2007	diff	% diff
NE 155 St	30	24	(6)	
average 155 to 165	30	24	(6)	(20.0)

12 Ave NE	2003	2007	diff	% diff
NE 155 St	39	31	(8)	
NE 175 St	85	66	(19)	
average 155 to 165	39	. 31	(8)	(20.5)
average north of 175	85	66	(19)	(22.4)

15 Ave NE	2003	2007	diff	% diff
NE 146 St	1,584	1,559	(25)	
NE 152 St	1,835	1,562	(273)	
NE 158 St	1,605	1,369	(236)	
NE 170 St	1,691	1,399	(292)	
NE 177 St	1,632	1,353	(279)	
24 Ave NE	1,551	1,242	(309)	
average 145 to 175	1,679	1,472	(207)	(12.3)
average 175 to 24 Av NE	1,592	1,298	(294)	(18.5)
average 145 to 24 Av NE	1,650	1,414	(236)	(14.3)

24 Ave NE	2003	2007	diff	% diff
15 Ave NE	401	328	(73)	
average 25 to 15	401	328	(73)	(18.2)

25 Ave NE	2003	2007	diff	% diff
NE 147 St	453	319	(134)	
NE 155 St	512	405	(107)	
NE 168 St	472	362	(110)	
NE 171 St	317	217	(100)	
NE 177 St	389	407	18	
average 145 to 150	453	319	(134)	(29.6)
average 150 to 178	423	348	(75)	(17.7)


### North City Traffic Monitoring Study AWDT PM Peak Volume Summary - 5 - 6pm


February 2003 to February 2007

revised 03/18/2007

### East/West

NE ZEO O									·····
NE 150 St		2007	diff	% diff	NE 155 St	2003	2007	diff	% diff
15 Ave NE	336	229	(107)		5 Ave NE	1,083	929	(154)	
45 to 05	: 000	000	(40=)		8 Ave NE	866	783	(83)	ľ
average 15 to 25	336	229	(107)	(31.8)	14 Ave NE	822	678	(144)	
NE 165 St	2003	2007	diff	% diff	average west of 5th	1,083	929	(154)	(14.2)
15 Ave NE	248	151	(97)		average 5th to 15th	844	731	(114)	(13.4)
average 5 to 15	248	151	(97)	(39.1)	NE 162 St	2003	2007	diff	% diff
			_		15 Ave NE	21	15	(6)	
NE 170 St	2003	2007	diff	% diff	average 10th to 15th	21	15	(6)	(28.6)
10 Ave NE	187	136	(51)						
15 Ave NE	66	61	(5)	f	NE 168 St	2003	2007	diff	% diff
			, ,		18 Ave NE	268	150	(118)	
average 5 to 15	187	136	(51)	(27.3)				` ,	
average 15 to 25	66	61	(5)	(7.6)	average 25 to 15	268	150	(118)	(44.0)
NE 171 St	2003	2007	Gill	% diff	NE 169 St		2007	diff	% diff
15 Ave NE	47	29	(18)		22 Ave NE	15	13	(2)	
average 25 to 15	47	29	(18)	(38.3)	average 25 to 15	15	13	(2)	(13.3)
NE 172 St	2000	0007	J: EC	0/ 1:66	NIC 475 O	0000	222=		04 1100
15 Ave NE	2003	2007	diff	% diff	NE 175 St	2003	2007	diff	% diff
15 AVE NE	62	44	(18)	Í	5 Ave NE	1,293	1,170	(123)	
average 25 to 15	62	44:	(40)	(20.0)	12 Ave NE	1,286	1,153	(133)	İ
average 25 to 15	02	44	(18)	(29.0)	4E Ave NE	400	440	(0)	
NE 177 St	2003	2007	diff	% diff	15 Ave NE 25 Ave NE	420	412	(8)	
15 Ave NE	60	63	3	% UIII	25 AVE NE	224	223	(1)	
25 Ave NE	84	77	(7)		average 5 to 15	1,290	1,162	(420)	(0.0)
25 AVE IVE	0-4	- 11	(1)		average 15 to 25	322	318	(128)	(9.9)
average 25 to 15	72	70	(2)	(2.8)	average 10 to 20	322	310	(5)	(1.4)
			(-)	(2.0)	NE 180 St	2003	2007	diff	% diff
NE Serpentine PI	2003	2007	diff	% diff	11 Ave NE	281	251	(30)	70 UIII
NE 175 St	79	64	(15)	20 Mill		201	201	(50)	
		٠.	(10)		average 10th to 15th	281	251	(30)	(10.7)
average 175 to 177	79	64	(15)	(19.0)					<i>(</i> -
NE Perkins Way	2003	2007	diff	% diff	NE 185 St	2003	2007	diff	% diff
15 Ave NE	345	354	9		9 Ave NE	761	690	(71)	,,, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
average 10th to 15th	345	354	9	2.6	average west of 10	761	690	(71)	(9.3)





## North City Traffic Monitoring Study 85 Percentile Speed Comparison

February 2003 to February 2007

revised 3/2/2007

On-Street	Direction	Cross-St	2003	2005	2006	2007	diff 200	3-2007
			85%	Speed (N	MPH)		diff	% diff
			1					
5 Ave NE	s/o	NE 163 St	36.0	37.0	36.6	36.2	0.2	0.7%
5 Ave NE	n/o	NE 170 Ln	35.0	37.3	36.6	35.8	0.8	2.2%
		average	35.5	37.1	36.6	36.0	0.5	1.4%
8 Ave NE	n/o	NE 160 St	32.0	33.8	34.6	33.4	1.4	4.4%
8 Ave NE	n/o	NE 170 St	32.0	34.3	33.1	33.7	1.7	5.2%
		average	32.0	34.1	33.8	33.5	1.5	4.8%
10 Ave NE	n/o	NE 160 St	35.0	36.6	36.2	34.7	(0.3)	-0.9%
10 Ave NE	n/o	NE 170 St	34.5	37.3	33.5	29.1	(5.4)	-15.6%
		average	34.8	36.9	34.9	31.9	(2.8)	-8.2%
10 Ave NE	s/o	NE 182 St	34.5	36.0	34.2	33.7	(0.8)	-2.4%
15 Ave NE	s/o	NE 158 St	40.5	40.3	40.3	38.7	(1.8)	-4.4%
15 Ave NE	n/o	NE 170 St	38.0	36.8	36.7	36.8	(1.2)	-3.2%
		average	39.3	38.6	38.5	37.8	(1.5)	-3.8%
25 Ave NE	s/o	NE 155 St	33.5	34.7	33.2	32.7 <sup>°</sup>	(0.8)	-2.5%
NE 455 0:								
NE 155 St	w/o	8 Ave NE	35.0	37.2	36.4	35.3	0.3	1.0%
NE 168 St	w/o	18 Ave NE	36.5	37.6	37.6	37.0	0.5	1.4%
NE 175 St	w/o	12 Ave NE	38.5	40.9	39.9	39.2	0.7	1.7%
		.27.00142		10.0	00.0		0.7	1.770
NE 175 St	e/o	15 Ave NE	32.5	34.2	33.5	33.6	1.1	3.5%
NE 177 St	e/o	15 Ave NE	29.5	30.3	28.9	31.3	1.8	6.2%

# 15th Ave NE three lane conversion Collision Comparision

1/1/2001 to 12/31/2006

### 15th Ave NE btwn NE 150th St to NE 175th St

### **Collison Types**

Contributing Circumstances

	TOT COL	# [Nu	# FTL	HDØ	ANG	RE	"SS	·PED	RGT TRN	LFT TRN
1/2002 to 1/2004	96	68	1	0	17	30	5	3	0	15
1/2004 to 1/2006	93	47	0	· 0	16	39	2	4	0	8
change % change		(21) -30.9%	(1) -100%	0 0.0%	(1) -5.9%	9 30.0%	(3) -60.0%	1 25.0%	0 0.0%	(7) -46.7%

#### **Definition Of Abbreviations**

TOT/COL = Total # of Collisions

#/INJ = Total # of Injured

#/FTL = Total # of Fatalities

HDO = Head-on Collision

ANG = Right Angle

RE = Rear End


SS = SideSwipe

PED = Pedestrian

RGT/TRN = Right Turn

LFT/TRN = Left Turn

### 15th Ave NE Collisions 2001-2006



This page intentionally left blank